REPUBLIC OF KENYA



MIGORI COUNTY ASSEMBLY P.O BOX 985–40400 MIGORI.

PROPOSED CONSTRUCTION OF KAKRAO MCA OFFICE

MCA/T/03/2023-2024

OCTOBER, 2023

INTRODUCTION

- 1.1 This standard tender document for procurement of equipment has been prepared for use by public entities in Kenya in the procurement of all types of equipment as per the Public Procurement and Assets Disposal Act 2015.
- 1.2 The following general directions should be observed when using the document;
 - (a) Specific details should be furnished in the invitation to tender notice and in the special conditions of contract. The final document to be provided to the tenderers should not have blank spaces or give options.
 - (b) The instructions to tenderers and the General conditions of contract should remain unchanged. Any necessary amendments to these parts should be made through the special conditions of contract and appendix to instructions to tenderers respectively.
- 1.3 (a) Information contained in the invitation to tender shall conform to the data and information in the tender documents to enable potential tenderers to decide whether or not to participate in the tender and shall indicate any important tender requirements.
 - (c) The invitation to tender shall be issued as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have expressed interest following an invitation for expression of interest for which the invitation is issued.
- 1.4 The cover of the tender document should be modified to include:
 - I. Tender number.
 - II. Tender name.
 - III. Name of procuring entity.

SECTION I - INVITATION FOR TENDERS Date 13th October, 2023

Tender REF No: MCA/T/03/2023-2024

Tender name: CONSTRUCTION OF KAKRAO MCA OFFICE

Detailed tender documents can be can be downloaded from our websitewww.migoriassembly.go.ke or Public Procurement Information Portal(PPIP)-www.tendersgo.ke.

Duly completed tender documents in plain sealed envelopes clearly marked with relevant category tender number and description should be addressed to:

THE CLERK MIGORI COUNTY ASSEMBLY P.O. BOX 985-40400 SUNA-MIGORI

Or be deposited in the tender box situated at The Migori County Assembly, on or before 27th October,2023 at 10.00am

Tenders will be opened immediately thereafter in the presence of tenderers or their representatives who may wish to attend at the County Assembly Cafeteria. We shall ensure that the representatives who will choose to attend shall be screened and sanitized before accessing the tender opening venue.

Bidders will also be expected to maintain social distance of at least 1.5 meters away during tender opening.

Late bids will not be accepted.

Any inquiry can be channeled through email address: odiwuoroluoch54@gmail.com

SIGNED BY: ODIWUOR HESBORN OLUOCH

AG, SUPPLY CHAIN MANANGEMENT OFFICER 1 FOR: THE CLERK, MIGORI COUNTY ASSEMBLY

SECTION II - INSTRUCTION TO TENDERERS

Table of Clauses

| | | Page |
|------|---|------|
| 2.1 | Eligible Tenderers | 5 |
| 2.2 | Cost of Tendering | 5 |
| 2.3 | Contents of Tender document | 6 |
| 2.4 | Clarification of Tender document | 6 |
| 2.5 | Amendments of Tender document | 7 |
| 2.6 | Language of Tenders | 7 |
| 2.7 | Documents Comprising the Tender | 7 |
| 2.8 | Tender Form | 8 |
| 2.9 | Tender Prices | 8 |
| 2.10 | Tender Currencies | 8 |
| 2.11 | Tenderers Eligibility and Qualifications | 8 |
| 2.12 | Tender Security | 8 |
| 2.13 | Validity of Tenders | 9 |
| 2.14 | Format and Signing of Tenders | 10 |
| 2.15 | Sealing and Marking of Tenders | 10 |
| 2.16 | Deadline for Submission of Tenders | 11 |
| 2.17 | Modification and Withdrawal of Tenders | 12 |
| 2.18 | Opening of Tenders | 12 |
| 2.19 | Clarification of Tenders | 13 |
| 2.20 | Preliminary Examination | 13 |
| 2.21 | Conversion to Single Currency | 14 |
| 2.22 | Evaluation and Comparison of Tenders | 14 |
| 2.23 | Contacting the Procuring Entity | 15 |
| 2.24 | Post-Qualification | 15 |
| 2.25 | Award Criteria | 16 |
| 2.26 | Procuring Entity's Right to Vary Quantities | 16 |
| 2.27 | Procuring Entity's Right to Accept or Reject any or | |
| | all Tenders | 16 |
| 2.28 | Notification of Award | 17 |
| 2.29 | Signing of Contract | 17 |
| 2.30 | Performance Security | 17 |
| 2.31 | Corrupt or Fraudulent Practices | 18 |

SECTION II - INSTRUCTIONS TO TENDERERS

2.1. Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Appendix to Instructions to Tenderers. Successful tenderers shall provide the services for the stipulated duration from the date of commencement (hereinafter referred to as the term) specified in the tender documents.
- 2.1.2 The procuring entity's employees, committee members, board members and their relatives (spouse and children) are not eligible to participate in the tender unless where specially allowed under section 131 of the Act.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the services under this Invitation for tenders.
- 2.1.4 Tenderers involved in the corrupt or fraudulent practices or debarred from participating in public procurement shall not be eligible.

2.2 Cost of Tendering

- 2.2.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs. Regardless of the conduct or outcome of the tendering process
- 2.2.2 The price to be charged for the tender document shall not exceed Kshs .5,000/=
- 2.2.3 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.

2.3 Contents of Tender Document

- 2.3.1 The tender documents comprise the documents listed below and addenda issued in accordance with clause 2.5 of these instructions to tenderers.
 - (i) Instructions to Tenderers
 - (ii) General Conditions of Contract
 - (iii) Special Conditions of Contract
 - (iv) Schedule of Requirements

- (v) Details/Specifications of the motor vehicles
- (vi) Form of Tender
- (vii) Price Schedules
- (viii) Contract Form
- (ix) Confidential Business Questionnaire Form
- (x) Tender security Form
- (xi) Performance security Form
- (xii) Declaration Form
- (xiii) Request for Review Form
- 2.3.2 The Tenderer is expected to examine all instructions, forms, terms and specification in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.4 Clarification of Tender Documents

- 2.4.1 A Candidate making inquiries of the tender documents may notify the Procuring entity by post, fax or by email at the procuring entity's address indicated in the Invitation for tenders. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of the tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all candidates who have received the tender documents.
- 2.4.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.
- 2.4.3 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.5 Amendment of Tender Documents

- 2.5.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by issuing and addendum.
- 2.5.2 All prospective tenderers who have obtained the tender documents will be notified of the amendment by post, fax or email and such amendment will be binding on them.
- 2.5.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.6 Language of Tenders

2.6.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring entity, shall be written in English language. Any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.7. Documents Comprising the Tender

- 2.7.1 The tender prepared by the tenderer shall comprise the following components:
 - (a) A Tender Form and a Price Schedule completed in accordance with paragraph 2.8, 2.9 and 2.10 below
 - (b) Documentary evidence established in accordance with paragraph 2.1.2 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
 - (c) Tender security furnished in accordance with paragraph 2.12 (if applicable)
 - (d) Declaration Form.

2.8. Form of Tender

2.8.1 The tenderer shall complete the Tender Form and the Price Schedule furnished in the tender documents, indicating the services to be provided.

2.9. Tender Prices

- 2.9.1 The tenderer shall indicate on the form of tender and the appropriate Price Schedule the unit prices and total tender price of the services it proposes to provide under the contract.
- 2.9.2 Prices indicated on the Price Schedule shall be the cost of the services quoted including all customs duties and VAT and other taxes payable.
- 2.9.3 Prices quoted by the tenderer shall remain fixed during the Term of the contract unless otherwise agreed by the parties. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.20.5

2.10. Tender Currencies

2.10.1 Prices shall be quoted in Kenya Shillings

2.11. Tenderers Eligibility and Qualifications

2.11.1 Pursuant to paragraph 2.1 the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if it's tender is accepted.

2.11.2 The documentary evidence of the tenderer's qualifications to perform the contract if its tender is accepted shall establish to the Procuring entity's satisfaction that the tenderer has the financial and technical capability necessary to perform the contract.

2.12. Tender Security

- 2.12.1 The tenderer shall furnish, as part of its tender, a tender security for the amount and form specified in the Appendix to Instructions to Tenderers.
- 2.12.2 The tender security shall not exceed 2 per cent of the tender price.
- 2.12.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.12.7
- 2.12.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form
 - a) Cash.
 - b) A bank guarantee.
- 2.12.5 Any tender not secured in accordance with paragraph 2.12.1. and 2.12.3 shall be rejected by the Procuring entity as non-responsive, pursuant to paragraph 2.20.5
- 2.12.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of tender validity
- 2.12.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.29, and furnishing the performance security, pursuant to paragraph 2.30
- 2.12.8 The tender security may be forfeited:
 - (a) if a tenderer withdraws its tender during the period of tender validity.
 - (b) in the case of a successful tenderer, if the tenderer fails:
 - (i) to sign the contract in accordance with paragraph 2.29 or
 - (ii) to furnish performance security in accordance with paragraph 2.30.
 - (c) If the tenderer reject correction of an arithmetic error in the tender.

2.13. Validity of Tenders

2.13.1 Tenders shall remain valid for 150 days after date of tender opening pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non-responsive. 2.13.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.12 shall also be suitably extended. A tenderer granting the request will not be required nor permitted to modify its tender.

2.14. Format and Signing of Tenders

- 2.14.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. All pages of the tender, except for un-amended printed literature, shall be initialed by the person or persons signing the tender.
- 2.14.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.15 Submission, Sealing and Marking of Tenders

2.15.1 The Tenderer shall submit electronically and provide hard similar copy of what has been submitted electronically, in a single, sealed envelope (one (1) envelope process). The Tenderer shall place the following separate, sealed envelopes:

Inner Envelops:

- a) In an envelope marked "ORIGINAL", all documents comprising the Tender, as described in ITT; and
- b) In an envelope marked "COPIES", all required copies of the Tender; and
- c) If alternative Tenders are permitted in accordance with ITT, and if relevant:
- i) In an envelope marked "ORIGINAL—ALTERNATIVE TENDER" the alternative Tender: and
- ii) in the envelope marked "COPIES ALTERNATIVE TENDER" all required copies of the alternative Tender

The inner envelopes shall:

- a) Bear the name and address of the Tenderer:
- b) Be addressed to the Procuring Entity in accordance with ITT;
- c) Bear the specific identification of this Tendering process indicated in accordance with ITT: and
- d) Bear a warning not to open before the time and date for Tender opening.

The outer envelope (s) in which the inner envelops are enclosed shall:

- a) Be addressed to the Procuring Entity in accordance with ITT
- b) Bear the specific identification of this Tendering process indicated in accordance with ITT; and
- c) Bear a warning not to open before the time and date for Tender opening.
- 2.15.2 Duly completed tender documents in plain sealed envelopes clearly marked with relevant category tender number and description should be addressed to:

THE CLERK MIGORI COUNTY ASSEMBLY P.O. BOX 985-40400 SUNA-MIGORI

2.15.3 If all envelopes are not sealed and marked as required, the Procuring Entity will assume no responsibility for the misplacement or premature opening of the Tender. Tenders that are misplaced or opened prematurely will not be accepted.

2.16. **Deadline for Submission of Tenders**

- 2.16.1 Tenders must be received by the Procuring Entity at the address and not later than the date and time specified **in the TDS**. When so specified **in the TDS**, Tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified **in the TDS**.
- 2.16.2 The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the tendering document in accordance with ITT9, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.
- 2.16.3 Tenders must be received by the Procuring entity at the address specified under paragraph 2.15.2 not later than 27th October, 2023 *at 10.00 a.m.*
- 2.16.4 Bulky tenders which will not fit the tender box shall be received by the procuring entity as provided for in the appendix.

2.17. Modification and Withdrawal of Tenders

2.17.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring entity prior to the deadline prescribed for submission of tenders.

- 2.17.2 The tenderer's modification or withdrawal notice shall be prepared, sealed, marked and dispatched in accordance with the provisions of paragraph 2.15. a withdrawal notice may also be sent by fax or email but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.
- 2.17.3 No tender may be modified after the deadline for submission of tenders.
- 2.17.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.12.7.

2.18. Opening of Tenders

- 2.18.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at 10.00 a.m. on 27th October, 2023 and in the location specified in the invitation for tenders. The tenderers' representatives who are present shall sign a register evidencing their attendance.
- 2.18.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts, and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.
- 2.18.3 The Procuring entity will prepare minutes of the tender opening, which will be submitted to tenderers that signed the tender opening register and will have made the request.

2.19 Clarification of Tenders

- 2.19.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.
- 2.19.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.20 Preliminary Examination and Responsiveness

- 2.20.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.20.2 Section 74(2) Subject to section 79(2)(b) of the Act 2020, any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bid price shall be

- considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive.
- 2.20.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation provided such waiver does not prejudice or affect the relative ranking of any tenderer.
- 2.20.4 Prior to the detailed evaluation, pursuant to paragraph 2.20, the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one which conforms to all the terms and conditions of the tender documents without material deviations the Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- 2.20.5 If a tender is not substantially responsive, it will be rejected by the procuring entity and may not subsequently be made responsive by the tenderer by correction of the nonconformity.

2.21. Conversion to single currency

2.21.1 Where other currencies are used, the Procuring entity will convert those currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

2.22. Evaluation and Comparison of Tenders

- 2.22.1 Information relating to the evaluation of Tenders and recommendation of contract award, shall not be disclosed to Tenderers or any other persons not officially concerned with the Tendering process until information on the Intention to Award the Contract is transmitted to all Tenderers.
- 2.22.2 The Procuring entity's evaluation of a tender will take into account, in addition to the tender price, the following factors, in the manner and to the extent indicated in paragraph 2.22.3.
 - (a) operational plan proposed in the tender;
 - (b) deviations in payment schedule from that specified in the Special Conditions of Contract
- 2.22.3 Pursuant to paragraph 2.22.2. the following evaluation methods will be applied.
 - (a) Operational Plan
 - (i) The Procuring entity requires that the services under the Invitation for Tenders shall be performed at the time specified in the Schedule of Requirements. Tenders offering to perform longer than the procuring entity's required delivery time will be treated as non-responsive and rejected.

- (b) Deviation in payment schedule
- (i) Tenderers shall state their tender price for the payment on schedule outlined in the special conditions of contract.

 Tenders will be evaluated on the basis of this base price.

 Tenderers are, however, permitted to state an alternative payment schedule and indicate the reduction in tender price they wish to offer for such alternative payment schedule. The Procuring entity may consider the alternative payment schedule offered by the selected tenderer.
- 2.22.4 The tender evaluation committee shall evaluate the tender within 30 days from the date of opening the tender.

2.23. Contacting the Procuring entity

- 2.23.1 Subject to paragraph 2.19 no tenderer shall contact the Procuring entity on any matter relating to its tender, from the time of the tender opening to the time the contract is awarded.
- 2.23.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender evaluation, tender comparison, or contract award may result in the rejection of the Tenderers' tender.

2.24 Post-qualification

- 2.24.1 The Procuring entity will verify and determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.
- 2.24.2 The determination will take into account the tenderer financial and technical capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.11.2, as well as such other information as the Procuring entity deems necessary and appropriate
- 2.24.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderers' capabilities to perform satisfactorily.

2.25Award Criteria

2.25.1 Subject to paragraph 2.29 the Procuring entity will award the contract to the successful tenderer whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

- 2.25.2 To qualify for contract awards, the tenderer shall have the following: -
 - (a) Necessary qualifications, capability experience, services, equipment and facilities to provide what is being procured.
 - (b) Legal capacity to enter into a contract for procurement
 - (c) Shall not be insolvent, in receivership, bankrupt or in the process of being wound up and is not the subject of legal proceedings relating to the foregoing.
 - (d) Shall not be debarred from participating in public procurement.

2.26. Procuring entity's Right to accept or Reject any or all Tenders

- 2.26.1 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action. If the Procuring entity determines that none of the tenders is responsive, the Procuring entity shall notify each tenderer who submitted a tender.
- 2.26.2 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.
- 2.26.3 A tenderer who gives false information in the tender document about is qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.27 Notification of Award

- 2.27.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.
- 2.27.2 The notification of award will signify the formation of the contract subject to the signing of the contract between the tenderer and the procuring entity pursuant to clause 2.9. Simultaneously the other tenderers shall be notified that their tenders were not successful.
- 2.27.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.29 the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.12

2.28 Signing of Contract

2.28.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will simultaneously inform the other tenderers that their tenders have not been successful.

- 2.28.2 Within fourteen (14) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.
- 2.28.3The contract will be definitive upon its signature by the two parties.
- 2.28.4 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29 Performance Security

- 2.29.1 The successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in a form acceptable to the Procuring entity.
- 2.29.2 Failure by the successful tenderer to comply with the requirement of paragraph 2.29 or paragraph 2.30.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated tender or call for new tenders.

2.30 Corrupt or Fraudulent Practices

- 2.30.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts. A tenderer shall sign a declaration that he has not and will not be involved in corrupt or fraudulent practices.
- 2.30.2 The Procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question
- 2.30.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public Procurement in Kenya.

Appendix to Instructions to Tenderers

Notes on the Appendix to the Instruction to Tenderers

- 1. The Appendix to instructions to tenderers is intended to assist the procuring entity in providing specific information in relation to corresponding clause in the instructions to Tenderers included in Section II and has to be prepared for each specific procurement.
- 2. The procuring entity should specify in the appendix information and requirements specific to the circumstances of the procuring entity, the procuring of the procurement, and the tender evaluation criteria that will apply to the tenders.
- 3. In preparing the Appendix the following aspects should be taken into consideration;
 - (a) The information that specifies and complements provisions of Section II to be incorporated.
 - (b) Amendments and/or supplements if any, to provisions of Section II as necessitated by the circumstances of the specific procurement to be also incorporated.
- 4. Section II should remain unchanged and can only be amended through the Appendix to instructions to tenders.
- 5. Any clause to be included in the appendix to instructions to tenderers must be consistent with the applicable public procurement law and regulations.

Appendix to instructions to Tenderers

The following information for the procurement of insurance services shall complement, supplement, or amend, the provisions on the instructions to tenderers. Wherever there is a conflict between the provisions of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers.

| Instruction to tender reference | Particulars of Appendix to instructions to tenderers |
|------------------------------------|--|
| Tender Currencies | As per 2.10 above |
| Address | As per 2.15.2 above |
| Deadline for Submission of Tenders | As per 2.16.1 above |

| Opening of tenders | As 2.18.1 above |
|--------------------|-----------------|
| | |

(Complete as necessary)

SECTION III - GENERAL CONDITIONS OF CONTRACT

Table of Clauses

| | | Page |
|------|---|------|
| 3.1 | Definitions | 19 |
| 3.2 | Application | 19 |
| 3.3 | Standards | 19 |
| 3.4 | Use of Contract Documents and Information | 19 |
| 3.5 | Patent Rights | 20 |
| 3.6 | Performance Security | 20 |
| 3.7 | Delivery of Services and Documents | 20 |
| 3.8 | Payment | 21 |
| 3.9 | Prices | 21 |
| 3.10 | Assignment | 21 |
| 3.11 | Termination for Default | 21 |
| 3.12 | Termination for Insolvency | 22 |
| 3.13 | Termination for Convenience | 22 |
| 3.14 | Resolution of Disputes | 22 |
| 3.15 | Governing Language | 22 |
| 3.16 | Applicable law | 23 |
| 3.17 | Force Majeure | 23 |
| 3.18 | Notices | 23 |

SECTION III GENERAL CONDITIONS OF CONTRACT

3.1. Definitions

- 3.1.1 In this Contract, the following terms shall be interpreted as indicated:
 - (a) "The Contract" means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
 - (c) "The Services" means services to be provided by the tenderer including any documents, which the tenderer is required to provide to the Procuring entity under the Contract.
 - (d) "The Procuring entity" means the organization procuring the services under this Contract
 - (e) "The Contractor" means the organization or firm providing the services under this Contract.
 - (f) "GCC" means the General Conditions of Contract contained in this section.
 - (g) "SCC" means the Special Conditions of Contract
 - (h) "Day" means calendar day

3.2. Application

3.2.1 These General Conditions shall apply to the extent that they are not superseded by provisions of other part of the contract

3.3. Standards

3.3.1 The services provided under this Contract shall conform to the standards mentioned in the schedule of requirements.

3.4. Use of Contract Documents and Information

- 3.4.1 The Contractor shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the contractor in the performance of the Contract.
- 3.4.2 The Contractor shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 2.4.1 above.
- 3.4.3 Any document, other than the Contract itself, enumerated in paragraph 2.4.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the contract's or performance under the Contract if so required by the Procuring entity.

3.5. Patent Rights

3.5.1 The Contractor shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the services under the contract or any part thereof.

3.6 Performance Security

- 3.6.1Within twenty-eight (28) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security where applicable in the amount specified in SCC
- 3.6.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.6.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of:
 - a) Cash.
 - b) A bank guarantee.
 - c) Such insurance guarantee approved by the Authority.
 - d) Letter of credit.
- 3.6.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Contractor's performance of obligations under the Contract, including any warranty obligations, under the Contract.

3.7. Delivery of services and Documents

3.7.1 Delivery of the services shall be made by the Contractor in accordance with the terms specified by the procuring entity in the schedule of requirements and the special conditions of contract

3.8. Payment

- 3.81. The method and conditions of payment to be made to the contractor under this Contract shall be specified in SCC
- 3.82. Payment shall be made promptly by the Procuring entity, but in no case later than sixty (60) days after submission of an invoice or claim by the contractor

3.9. Prices

- 3.9.1 Prices charges by the contractor for Services performed under the Contract shall not, with the exception of any price adjustments authorized in SCC vary from the prices quoted by the tenderer in its tender or in the procuring entity's request for tender validity extension the case may be. No variation in or modification to the terms of the contract shall be made except by written amendments signed by the parties.
- 3.9.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 3.9.3 Where contract price variation is allowed the variation shall not exceed 10% of the original contract price
- 3.9.4 Price variation requests shall be processed by the procuring entity within 30 days of receiving the request.

3.10. Assignment

3.10.1 The Contractor shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent.

3.11. Termination for Default

- 3.11.1The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Contractor terminate this Contract in whole or in part:
 - (a) if the Contractor fails to provide any or all of the services within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity.
 - (b) If the Contractor fails to perform any other obligation(s) under the Contract
 - (c) If the Contract in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the contract

3.11.2 In the event the Procuring entity terminates the contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, services similar to those undelivered, and the Contractor shall be liable to the Procuring entity for any excess costs for such similar services. However, the contractor shall continue performance of the contract to extent not terminated.

3.12. Termination for Insolvency

3.12.1 The Procuring entity may at any time terminate the contract by giving written notice to the Contractor if the contractor becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the contractor, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the procuring entity.

3.13. Termination for Convenience

- 3.13.1 The Procuring entity by written notice sent to the contractor, may terminate the contract in whole or in part, at any time for its convenience. The notice of termination shall specify that the termination is for the procuring entities convenience, the extent to which performance of the contractor of the contract is terminated and the date on which such termination becomes effective.
- 3.13.2 For the remaining part of the contract after termination the procuring entity may elect to cancel the services and pay to the contractor an agreed amount for partially completed services.

3.14 Resolution of Disputes

- 3.14.1 The procuring entity and the contractor shall make every effort to resolve amicably by direct informal negotiations and disagreement or disputes arising between them under or in connection with the contract
- 3.14.2 If after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute either party may require that the dispute be referred for resolution to the formal mechanisms specified in the SCC.

3.15. Governing Language

3.15.1. The contract shall be written in the English language. All correspondence and other documents pertaining to the contract, which are exchanged by the parties shall be written in the same language.

3.16. Applicable Law

3.16.1 The contract shall be interpreted in accordance with the laws of Kenya unless otherwise expressly specified in the SCC.

3.17 Force Majeure

3.17.1 The Contractor shall not be liable for forfeiture of its performance security, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

3.18 Notices

- 3.18.1 Any notices given by one party to the other pursuant to this contract shall be sent to the other party by post or by Fax or Email and confirmed in writing to the other party's address specified in the SCC.
- 3.18.2 A notice shall be effective when delivered or on the notices effective date, whichever is later.

SECTION IV -SPECIAL CONDITIONS OF CONTRACT

Notes on Special Conditions of Contract

- 1. The clauses in this section are intended to assist the procuring entity in providing contractspecific information in relation to corresponding clauses in the General Conditions of Contract
- 2. The Provisions of Section IV complement the General Conditions of Contract included in Section III, specifying contractual requirements linked to the special circumstances of the procuring entity and the insurance cover required. In preparing Section IV, the following aspects should be taken into consideration.
 - (a) Information that complement provisions of Section III must be incorporated; and
 - (b) Amendments and/or supplements to provisions of Section III, as necessitated by the circumstances of the specific insurance cover required must also be incorporated.
- 3. Where there is a conflict between the provisions of the special conditions of contract and the provisions of the general conditions of contract, the provisions of the special conditions of contract shall prevail over the provisions of the general conditions of contract.
- 4. Any clause to be included in this section must be consistent with the applicable public procurement law and regulations.



REPUBLIC OF KENYA MIGORI COUNTY GOVERNMENT

PROPOSED OFFICE BLOCK

FOR

MEMBER OF COUNTY ASSEMBLY

MIGORI COUNTY

BILLS OF QUANTITIES.

COUNTY ARCHITECT COUNTY QUANTITY

SURVEYOR

PUBLIC WORKS DEPARTMENT PUBLIC WORKS

DEPARTMENT

P.O BOX 164 -40400
SUNA - MIGORI
SUNA - MIGORI
SUNA - MIGORI

OCTOBER, 2023

BUILDING WORKS

Page WR 1 MOW 122

| Item | Description | Quantity | Unit | Rate | Shs. |
|------|---|-----------|------|------|-------|
| | Bescription | Qualitity | Cint | Tute | Silo. |
| | PROPOSED OFFICE BLOCK FOR WARD REPRESENTATIVE. | | | | |
| | ELEMENT NO. 1 | | | | |
| | SUBSTRUCTURE (ALL PROVISIONAL) | | | | |
| A | Clear site of all trees bushes and grub up roots | 300 | SM | | |
| В | Excavate average 150mm deep to remove top soil and cart away. | 300 | SM | | |
| C | Excavate average 150mm deep to reduce levels | 90 | СМ | | |
| | Excavate in column pits $0 - 1.5$ m deep and deposit where directed. | | | | |
| D | | 7 | CM | | |
| | Excavate foundation trench not exceeding 1.5m deep from reduced level and deposit where directed. | | | | |
| Е | | 58 | CM | | |
| | Comind to collection on many | | | | |
| | Carried to collection on page | | | | |
| | | | | Sh. | |

Page WR 2 MOW 122

| | | Page WE | | MOW 12 | |
|------|---|----------|------|--------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| | ELEMENT NO. 1 CONTD` | | | | |
| A | Extra over for excavating in rock irrespective of class. | 32 | СМ | | |
| В | Return fill and well ram around foundations. Load and cart away extra excavated materials from site. | 68 | СМ | | |
| C | Allow for keeping trenches free from water. | 29 | СМ | | |
| D | Allow for upholding sides of trenches by plunking and strutting | Item | | | |
| E | | Item | | | |
| | | | | | |
| | Carried to collection on page | | | | |
| | | | | Sh. | |

Page WR 3 MOW 122

| | | Page WR | J 1V | OW 122 | |
|------|---|----------|------|--------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| | | | | | |
| | ELEMENT NO. 1 CNTD` | | | | |
| | Concrete works | | | | |
| | mass concrete mix 1:4:8 as described in:- | | | | |
| A | 50mm blinding in bottoms of trenches | 38 | SM | | |
| | | | | | |
| В | Ditto in column bases | 5 | SM | | |
| | | | | | |
| | reinforced concrete class 20/20 as described in:- | | | | |
| C | column bases | 1 | CM | | |
| C | sub columns | 1 | CM | | |
| D | Suo columnis | 1 | CM | | |
| ו | 200mm thick foundation | 1 | CIVI | | |
| Е | 200mm tinex foundation | 8 | CM | | |
| | 150mm thick floor slab | | CIVI | | |
| F | - 10 011111 1110 11 01110 11 01110 11 01110 11 01110 11 01110 11 01110 11 01110 11 01110 11 01110 11 01110 11 | 110 | SM | | |
| | Sawn formwork as described to:- | | | | |
| | Sides of column bases | | | | |
| G | | 4 | SM | | |
| | Sides of sub columns. | | | | |
| Н | | 4 | SM | | |
| | Sides of floor slab | | | | |
| I | | 34 | LM | | |
| | High yield square twisted bars to BS 4461 | | | | |
| | (All provisional) | | | | |
| T | 10mm in foundations | 1.00 | WC | | |
| J | Omen ditto | 160 | KG | | |
| V | 8mm ditto | 77 | KG | | |
| K | 12mm bars in column bases | / / | NU | | |
| L | 12mm bars in column bases | 21 | KG | | |
| L | 12mm Ditto in sub columns | 21 | 100 | | |
| M | 12mm 2mo in our commo | 10 | KG | Sh. | |
| | Carried o collection on page | | | | |
| | | | | | |

Page WR 4 MOW 122

| Item | Description | Quantity | Unit | Rate | Shs. |
|-------------|--|------------------|----------------|------|------|
| A | ELEMENT NO. 1 CONTD` BRC fabric meshes reinforcement to BS 4483 Ref. A 142 weighing 2.22kg/m² FOUNDATION WALLING | 110 | SM | | |
| В | 200mm natural stone walling in cement sand mortar. Earthworks | 97 | SM | | |
| C D E | 300mm hand packed hardcore filling. 50mm thick murram blinding. Treat surface of blinded hardcore with insecticide. damp proofing | 33 110 110 | CM SM SM | | |
| F | 500gauge damp proof membrane. | 110 | SM | | |
| | Carried to collection on page | | | Sh. | |

Page WR 5 MOW 122

| | 1 | Page WI | | MOW 122 | |
|------|--|----------|------|---------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| | ELEMENT NO. 1 CONTD` | | | | |
| A | 200mm wide bituminous damp proof course | 55 | LM | | |
| | <u>Finishes</u> | | | | |
| В | 12mm thick cement sand render in plinths. | 24 | SM | | |
| | Prepare and apply two coats of black bituminous paint on plinths | | | | |
| С | 25mm thick cement sand screed on floors. | 24 | SM | | |
| D | 300x300mmx8mm thick ceramic floor tiles. | 110 | SM | | |
| E | 75mm high tiled skirting. | 110 | LM | | |
| | PAVING | | | | |
| F | 60x60x50mm thick PC paving slabs. | 81 | LM | | |
| | | | | | |
| G | Carried to collection on page | 60 | SM | | |
| | | | | | |
| | | | | Sh. | |
| | | | | | |

Page WR 6 MOW 122

| | 1 | Page | | MOW 122 | T |
|------|--------------------------------|----------|------|---------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| | ELEMENT NO 1. CONTD` | | | | |
| | ELEMENT NOT. CONTD | | | | |
| | COLLECTION | | | | |
| | Brought forward from page WR 1 | | | | |
| | Brought forward from page WR 2 | | | | |
| | Brought forward from page WR 3 | | | | |
| | Brought forward from page WR 4 | | | | |
| | Brought forward from page WR 5 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL | | | | |
| | ELEMENT NO. 1 | | | | |
| | SUBSTRUCTURE | | | | |
| | Carried to collection on page | | | Sh. | |

Page WR 7 MOW 122

| Item | Description MOW 122 | Quantity | Unit | Rate | Shs. |
|------|---|----------|------|------|------|
| | ELEMENT NO. 2 | | | | |
| | CONCRETE FRAME | | | | |
| | Reinforced concrete class 20/20 as described in:- | | | | |
| | Columns | | | | |
| A | | 1 | CM | | |
| | Ring beam | | | | |
| В | Sawn formwork as described to:- | 4 | CM | | |
| | Sides of columns | | | | |
| C | | 7 | SM | | |
| | Sides of beam | | | | |
| D | | 43 | SM | | |
| | Soffites of ditto | | | | |
| E | High yield square twisted bars to BS 4461 | 21 | LM | | |
| | (All provisional) | | | | |
| | 12mm bars in beams | | | | |
| F | | 255 | KG | | |
| | 12mm bars in columns | | | | |
| G | | 21 | KG | | |
| | 8mm bars in beams | 112 | | | |
| Н | But to the | 112 | KG | | |
| | Ditto in columns | | W.C. | | |
| I | | 9 | KG | | |
| _ | 12mm cement sand screed on concrete frame. | 50 | CM | | |
| J | | 50 | SM | | |
| | TOTAL | | | | |
| | ELEMENT NO. 2 | | | | |
| | CONCRETE FRAME | | | | |
| | Carried to collection on page | | | | |
| | Carried to concention on page | | | | |
| | | | | Sh. | |
| | | | | JII. | |

Page WR 8 MOW 122

| Item | Description | Quantity | Unit | Rate | Shs. |
|--------|---|----------|----------|------|------|
| | ELEMENT NO. 3 WALLING Dressed natural stone walling in cement sand mortar with 25mm SWG hoop iron after every alternate course. | | | | |
| A B | 200mm thick externally. Ditto internally | 95 42 | SM SM | | |
| C | Sundries 150x750mm high eaves fillings in stone work. Seal the joint between roof covering and wall in cement sand mortar. | 48 | LM LM | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

Page WR9 MOW 122

| Item | Description | Quantity | Unit | Rate | Shs. |
|------|---|----------|------|------|------|
| | ELEMENT NO. 3 CONTD` | | | | |
| | WALL FINISHES | | | | |
| A | 12mm cement sand plaster to walls internally | 179 | SM | | |
| | Labour for forming 'V' joints at corners. | | | | |
| В | Labour for forming curved junction with floors | 42 | LM | | |
| C | Labour for forming curved junction with moors | 73 | LM | | |
| | Fair racking and cutting and forming semi recessed horizontal joints to walls externally. | | | | |
| D | | 95 | SM | | |
| | Prepare and apply one undercoat and two coats silk vinyl paint to:- | | | | |
| | Plastered wall | | | | |
| | Ditto to rendered walls. | | | | |
| E | | 179 | SM | | |
| F | | 50 | SM | | |
| | | | | | |
| | Carried to collection on page | | | | |
| | | | | | |
| | | | | Sh. | |

Page WR10 MOW 122

| T4 = | | | | | | | | |
|------|-------------------------------|----------|------|------|------|--|--|--|
| Item | Description | Quantity | Unit | Rate | Shs. | | | |
| | ELEMENT NO. 3 CONTD` | | | | | | | |
| | COLLECTION | | | | | | | |
| | Brought forward from page WR8 | | | | | | | |
| | Brought forward from page WR9 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | TOTAL | | | | | | | |
| | ELEMENT NO. 3 WALLING | | | | | | | |
| | Carried to collection on page | | | Sh. | | | | |

Page WR11 MOW 122

| Item | Description | Quantity | Unit | Rate | Shs. |
|------|---|----------|------|------|------|
| | ELEMENT NO. 4 | | | | |
| | ROOFING CONSTRUCTION (All in first grade cypress well treated with good wood preservative). | | | | |
| A | 150x50mm rafters | 117 | LM | | |
| В | 150x50mm tie beam | 91 | LM | | |
| C | 100x50mm ties and struts | 130 | LM | | |
| D | 100x50mm valley rafters | 12 | LM | | |
| E | 10x50mm hip rafters | 40 | LM | | |
| F | 150x50mm jack rafters. | 35 | LM | | |
| G | 100x50mm wall plate. | 51 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

Page WR 12 MOW 122

| T | D 11 | | | WK 12 | WIO W 122 |
|------|---|----------|------|-------|-----------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| | ELEMENT NO. 4 CONTD` | | | | |
| A | 75x50mm purlins | 160 | LM | | |
| В | 225x25mm fascia board | 52 | LM | | |
| | Roof covering | | | | |
| С | 28 gauge factory painted galvanized corrugated iron sheets. | 144 | SM | | |
| D | 28gauge factory painted ridge caps | 15 | LM | | |
| Е | Ditto hip caps | 20 | LM | | |
| F | Ditto valley gutters. | 6 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

Page P 13 MOW 122

| Item | Description NOW 122 | Quantity | Unit | Rate | Shs. |
|------|--|----------|------|------|------|
| | ELEMNT NO. 4 CONTD` | | | | |
| | ROOF FINISHES CEILING | | | | |
| A | 50x50mm timber brandering. | 242 | LM | | |
| В | 75x50mm thick ceiling joists. | 72 | LM | | |
| C | 10mm thick chipboard ceiling lining. | 100 | SM | | |
| D | 15x75mm timber cornice | 72 | LM | | |
| E | Extra over ceiling lining for forming trap door size 600x600 and positioning in roof space on bearers. | 1 | N0 | | |
| | Prepare and apply three coats emulsion paint on:- | | | | |
| | Ceiling lining | | | | |
| F | | 100 | SM | | |
| | | | | | |
| | Carried to collection on page | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | Sh. | |

Page WR 14 MOW 122

| Item | Description Description | Quantity | Unit | Rate | Shs. |
|------|---------------------------------------|----------|------|------|------|
| | | | | | |
| | | | | | |
| | ELEMNT NO 4 CONTD | | | | |
| | ELEMNT NO. 4 CONTD` | | | | |
| | COLLECTION | | | | |
| | COLLECTION | | | | |
| | Brought forward from page WR 11 | | | | |
| | Brought forward from page WR 12 | | | | |
| | | | | | |
| | Brought forward from page WR 13 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL | | | | |
| | ELEMENT NO. 4 | | | | |
| | ROOFING Carried to collection on page | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | C1- | |
| | | | | Sh. | |

Page WR 15 MOW 122

| Item | Description MOW 122 | Quantity | Unit | Rate | Shs. |
|------|---|----------|------|------|------|
| | ELEMENT NO. 5 | | | | |
| | <u>DOORS</u> | | | | |
| | STEEL DOORS | | | | |
| A | Purpose made steel double door size 1250x2500mm high in one coat red oxide primer and two coats gloss oil paint complete with burglar proof bars frame and steel door lock (union). | 1 | N0 | | |
| | GLAZING | | | | |
| В | 4mm thick clear sheet glass and glazing in panes $0 - 0.5m^2$ with putty. | 2 | SM | | |
| | TIMBER DOORS | | | | |
| C | 45mm thick solid mahogany paneled door size 900x2100mm high. | 3 | N0 | | |
| | <u>FRAMES</u> | | | | |
| D | 150x45mm mahogany door frame once rebated and moulded one edge | 18 | LM | | |
| Е | Ditto but three rebated | 3 | LM | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

Page WR 16 MOW 122

| Ttom | Description | Overtity | | Rate | Shs. |
|------|--|----------|------|------|------|
| Item | Description | Quantity | Unit | Rate | Sns. |
| | ELEMENT NO. 5 CONTD` | | | | |
| A | 50x25mm architrave. | 10 | LM | | |
| В | 25x25mm quadrant fillet | 8 | LM | | |
| | Iron mongery | | | | |
| C | Three lever mortise lock complete with door furniture. | 3 | N0 | | |
| D | 100mm pressed steel butt hinges. Prepare and apply two coats mahogany vernish | 3 | PRS | | |
| | Doors overally | | | | |
| Е | Surfaces 150-225mm girth. | 11 | SM | | |
| F | Prime only back of frame | 21 | LM | | |
| | Surfaces 75 -150mm girth | | | | |
| G | | 18 | LM | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to collection on page | | | | |
| | | | | Sh. | |

Page WR 17 MOW 122

| | | Page WR I | | IOW 122 | |
|------|---|-----------|------|---------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| | ELEMENT NO. 5 CONTD` | | | | |
| | ALUMINIUM FRAMED DOORS | | | | |
| A | Aluminium framed door size 900x2100mm high with MDF board at the bottom 900mm high and top panel in 6mm thick clear sheet glass complete with all necessary iron mongery. | 2 | N0 | | |
| | 25mm rubber door stop fixed to floor with rawl bolt. | | 210 | | |
| В | Hydraulic door closer. | 8 | N0 | | |
| C | To collection | 6 | N0 | | |
| | COLLECTION | | | | |
| | Brought forward from page WR15 | | | | |
| | Brought forward from page WR16 | | | | |
| | Brought forward from page above | | | | |
| | TOTAL ELEMENT NO. 5 DOORS | | | | |
| | Carried to collection on page | | | | |
| | | | | | |
| | | | | Sh. | |
| | | | | SII. | |

Page WR 18 MOW 122

| | | Page WR 1 | 8 IV | 1OW 122 | |
|------|---|-----------|------|---------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| | ELEMENT NO. 6 WINDOWS Purpose made steel casement windows in one coat red oxide primer and two coats gloss oil paint and complete with burglar proof bars, and locking accessories Window size 2000x1500mm high. | | | | |
| A | Ditto size 1050x150mm ditto. | 8 | N0 | | |
| В | Ditto 750x1500mm ditto | 1 | N0 | | |
| С | GLAZING | 2 | N0 | | |
| D | 4mm thick clear sheet glass and glazing in panes $0-0.5\text{m}^2$ with putty. | 28 | SM | | |
| Е | Ditto but obscure glass | 2 | SM | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

Page WR19 MOW 122

| - | Page WK19 MOW 122 | | | | | | | |
|------|---|--|----------|------|------|-----|--|--|
| Item | Description | | Quantity | Unit | Rate | Shs | | |
| | ELEMENT NO. 6 CONTD` | | | | | | | |
| | PELMET | | | | | | | |
| | (Wrot mahogany) | | | | | | | |
| A | 150x25mm top rounded one edge. | | 21 | LM | | | | |
| В | 150x25mm fascia rebated twice | | 21 | LM | | | | |
| C | 50x25mm cypress bearers plugged to wall | | 22 | N0 | | | | |
| D | 150x150mm end pieces. | | 21 | LM | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | Comind to collection on many | | | | Sh. | | | |
| | Carried to collection on page | | | | | | | |

Page WR 20 MOW 122

| | T | Page WR 20 | | IOW 122 | T |
|------|---|------------|------|---------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| A | ELEMENT NO. 6 CONTD` CURTAIN TRUCKS I section curtain rail complete with rollers, fixing brackets overlaps and stopped ends | 21 | LM | | |
| В | Knot and apply two coats of mahogany varnish to:- Surfaces 225 – 300mm girth | 21 | LM | | |
| С | CILL 225x75mm thick weathered concrete window cill reinforced with 8 gauge weld mesh and including all necessary moulding and formwork and both sides fair fished. | 21 | LM | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

Page WR 21 MOW 122

| | | Page WR 2 | I IV. | IOW 122 | |
|------|--|-----------|-------|---------|------|
| Item | Description | Quantity | Unit | Rate | Shs. |
| A | ELEMENT NO. 6 CONTD` FIXED ALUMINIUM FRAMED WINDOWS Supply and fixed purpose made windows comprising 6mm thick fixed glass panels in aluminium framing and with fixed Louvre vents 300mm wide at the top spaming full width of window overall size 2500x1500mm high. | 2 | N0 | | |
| В | Ditto size 2000x1500mm ditto. | 2 | N0 | | |
| | | | | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

Page P 22 MOW 122

| Item | Description | Quantity | Unit | Rate | Shs. |
|---------|-------------------------------------|----------|------|------|-------|
| Ittelli | Description | Quantity | Omt | Raic | 5115. |
| | | | | | |
| | ELEMENT NO. 6 CONTD` | | | | |
| | GOLL FIGHTON. | | | | |
| | COLLECTION | | | | |
| | Brought forward from page WR 18 | | | | |
| | Brought forward from page WK 18 | | | | |
| | | | | | |
| | Brought forward from page WR 19 | | | | |
| | | | | | |
| | | | | | |
| | Brought forward from page WR 20 | | | | |
| | | | | | |
| | Brought forward from page WR 21 | | | | |
| | Brought for ward from page 44 to 21 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | TOTAL | | | | |
| | ELEMENT NO. 6 | | | | |
| | WINDOWS | | | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |
| L | 1 | | I . | | l |

PLUMBING AND WATER RETICULATION

Page WR23 MOW 122

| | Pa | ige WK23 | MC |)W 122 | | |
|-------------|---|----------|----------|--------|------|------|
| Item N0. | Description | Quantity | Unit | Rate | Shs. | Cts. |
| A B C | ELEMENT NO. 7 PLUMBING AND WATER RETICULATION Supply and install plastic water tank to hold 4250Litrs of water. Ditto but 4500 litres capacity with stand Extra over tank for:- 15mm ball valve 19mm back nuts | 1 1 | NO NO | | | |
| D | 15mm ditto. | 4 | N0 | | | |
| E | PIPING (all provisional) G.I CLASS B. | 2 | N0 | | | |
| G H | 15mm diameter pipe 19mm ditto. Extra over pipe for:- | 20 50 | LM LM | | | |
| I J | 15mm elbow 19mm ditto. Carried to collection on page | 6 | N0 N0 | Sh. | | |
| | | | | | | |

Page WR 24 MOW 122

| | Page WR 24 MOW 122 | | 1 | | , | , |
|-------------|---|----------|------|------|------|------|
| Item N0. | Description | Quantity | Unit | Rate | Shs. | Cts. |
| | PLUMBING CONTD' | | | | | |
| A | 19mm gate valve | 1 | N0 | | | |
| В | 15mm ditto. | 1 | N0 | | | |
| C | 15mm equal tee. | 2 | N0 | | | |
| D | 15mm union. | 1 | N0 | | | |
| Е | 19mm ditto. | 1 | N0 | | | |
| F | 15mm nipple | 3 | N0 | | | |
| G | 15mm flexible tubes. | 2 | N0 | | | |
| Н | 100mm diameter gulley trap complete with grating and cover. | 1 | N0 | | | |
| I | P.V.C 32mm diameter pipes | 6 | LM | | | |
| J | 32mm tee and plug. | 2 | N0 | | | |
| | Carried to collection page | | | | | |
| | | | | Sh. | | |

Page WR 25 MOW 122

| | | Page WR 25 | MO | W 122 | | |
|----------|---|------------|----------|-------|------|------|
| Item N0. | Description | | Quantity | Unit | Rate | Shs. |
| | PLUMBING CONTD` | | | | | |
| | SANITARY FITTINGS | | | | | |
| A | Supply and install vitreous China clay wash hand basin size 450x300x215mm complete with bottle trap and taps. | | 1 | N0 | | |
| В | Western type water closet suite complete with seat and cover and 9 litre flushing cistern. | | 1 | N0 | | |
| С | Stainless steel sink size 500x1500mm long with one bowl and two drainer complete with taps and bottle trap. | | 1 | N0 | | |
| | Carried to collection page | | | | Sh. | |

Quantity Description N0. Unit Shs. Cts. Rate PLUMBING CONTD` 100mm diameter pipe. A 5 LM 100mm plain bend. В N0 1 C 100mm inspection bend. N0 1 To collection **COLLECTION** Brought forward from page WR23 Brought forward from page WR 24 Brought forward from page WR 25

Item

Brought forward from page above

Carried to collection page......

TOTAL

PLUMBING

Page WR 26

MOW 122

Page WR27

MOW 122

Sh.

| ITEM | DESCRIPTION | PAGE | AMOUNT |
|------|----------------------|------|--------|
| 1 | SUBSTRUCTURE | WR6 | |
| 2 | CONCRETE FRAME | WR 7 | |
| 3 | WALLING | WR10 | |
| 4 | ROOFING | WR14 | |
| 5 | DOORS | WR17 | |
| 6 | WINDOWS | WR22 | |
| 7 | INTERNAL PLUMBING | WR26 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | TOTAL BUILDING WORKS | | |
| | | | |

EXTERNAL WORKS

Page E1 MOW 122 Item Description Quantity N0. Unit Rate Cts. Shs. **EXTERNAL WORKS EXTERNAL DRAINAGE ALL PROVISIONAL** Provide all material and construct type A man N0. A 3 holes to detail. **TRENCH** В Excavate trench not exceeding 1.5mm deep but 20 LM average 500mm wide 700mm deep part return fill and reminder cart away. PIPING Supply and lay in trench 110mm diameter pipe C in mass concrete surround. LM 20 Carried to collection on page...... Sh.

Page E2 MOW 122 Item Description Quantity N0. Unit Cts. Rate Shs. CONTD` Allow for connecting the pipes to the septic tanks A **ITEM** and internal drainage. SEPTIC TANK (100 persons) Clear site of all trees and bushes and grub up В 24 SM roots. Excavate average 150mm deep to remove top soil C 24 SM and cart away. Excavate average 150mm deep to reduce levels D 24 CM Excavate in pit not exceeding 1.5m deep and deposit where directed. E 20 CM Carried to collection on page...... Sh.

Page E3 MOW 122

| | | | Page E | <i>5</i> N | 10W 122 | |
|-------------|---|----------|----------|------------|---------|------|
| Item N0. | Description | Quantity | Unit | Rate | Shs. | Cts. |
| | CONTD` | | | | | |
| A | Ditto but not exceeding 3.0m ditto. | 14 | CM | | | |
| В | 50mm hick mass concrete blinding | 14 | SM | | | |
| C | 100mm thick reinforced concrete bottom slab. | 14 | SM | | | |
| D E | B.R.C reinforcement ref A 142 in slab. 150mm thick solid concrete block walling. Reinforced concrete class 20/20 as described:- | 14 31 | SM SM | | | |
| | Buffle wall 200mm thick | | | | | |
| F | Scum buffle | 4 | SM | | | |
| G | 150mm thick cover slab | 2 | SM | | | |
| Н | Sawn formwork as described to:- Sides of buffle wall. | 10 | SM | | | |
| I | Carried to collection on page | 8 | SM | | | |
| | | | | | | |
| | | | | | | |
| | | | | Sh. | | |

Page E4 MOW 122

| T. | Page E4 MOW 122 | | | | | |
|-------------|--|----------|------|------|------|------|
| Item N0. | Description | Quantity | Unit | Rate | Shs. | Cts. |
| | CONTD` | | | | | |
| A | Sides of scum buffle | 5 | SM | | | |
| В | Soffits of ditto. | 2 | LM | | | |
| C | Soffits of cover slab. | 10 | SM | | | |
| D | Sides of ditto. | 13 | LM | | | |
| | Reinforcement | | | | | |
| | High yield square to BS 4461 | | | | | |
| Е | 10mm bars in buffle wall. | 25 | KG | | | |
| F | Ditto in scum buffle | 13 | KG | | | |
| G | Ditto in cover slab | 96 | KG | | | |
| Н | Form or leave opening in cover slab size 600x450mm | 2 | N0. | | | |
| | Carried to collection on page | | | Sh. | | |
| | | | | SII. | | |

Page E5 MOW 122

| | | Page | , <u>113</u> | | MOW 122 | |
|-------------|---|----------|--------------|------|---------|------|
| Item N0. | Description | Quantity | Unit | Rate | Shs. | Cts. |
| | | | | | | |
| | <u>FINISHES</u> | | | | | |
| A | 25mm cement sand screed on floors. | 13 | SM | | | |
| В | 12mm cement sand plaster to walls internally with water proof cement. | 31 | SM | | | |
| С | Ditto on buffle walls. | 8 | SM | | | |
| D | Ditto on scum buffles. | 5 | SM | | | |
| Е | Ditto on top slab | 13 | SM | | | |
| F | Supply and install medium duty man hole covers size 560x450mm complete with frame and greasing between cover and frame, | 4 | N0 | | | |
| | | | | | | |
| | Carried to collection on page | | | Sh. | | |

Page E6 MOW 122 Item Description Quantity N0. Unit Cts. Rate Shs. **SOAK PITS** A Excavate in pit 0-1.5mm deep and cart away. 4 CM Ditto 1.5-3.0mm ditto. В 4 CM Ditto 3.0-4.5mm ditto. C 4 CMDitto 4.5 -6.0mm ditto. D 4 CMExtra over for excavating in rock. E 16 CMBackfill the pits with porous material. F 12 CMCarried to collection on page....... Sh.

Page E7 MOW 122

| | Page E7 MOW 122 | 1 | | | | |
|----------|--|----------|------|------|------|------|
| Item N0. | Description | Quantity | Unit | Rate | Shs. | Cts. |
| | CONTD` | | | | | |
| A | Provide all material and construct sock pit cover 1500mm diameter complete with foundations to detail. | 1 | N0. | | | |
| В | Allow for testing all the drainage works. | | ITEM | | | |
| | TO COLLECTON | | | | | |
| | COLLECTIONS | | | | | |
| | Brought forward from page E1 | | | | | |
| | Brought forward from page E2 | | | | | |
| | Brought forward from page E3 | | | | | |
| | Brought forward from page E4 | | | | | |
| | Brought forward from page E5 | | | | | |
| | Brought forward from page E6 | | | | | |
| | Brought forward from page ABOVE | | | | | |
| | TOTAL FOR EXTERNAL WORKS Carried to collection on page | | | | | |
| | | | | | | |
| | | | | CI | | |
| | | | | Sh. | | |

2NO 2DOOR -VIP LATRINE

Page.....L1 MOW 122

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | SHS. |
|------|---|----------|------|------|------|
| | 2NO. 2 DOOR V.I.P. TOILET COMPLETE WITH URINAL | | | | |
| A | Excavate in pit not exceeding 1.5m deep from ground level and deposit where directed. | 2 | CM | | |
| В | Ditto 1.5-3.0mm ditto. | 2 | СМ | | |
| С | Ditto 3.0-4.5mm ditto. | 2 | СМ | | |
| D | Ditto 4.5-6.0mm ditto | 2 | СМ | | |
| Е | Extra over excavation for excavating in rock. | 8 | СМ | | |
| | Excavate foundation trench averagely 500mm wide and 500mm deep. | | | | |
| F | Carried to collection on page | 3 | СМ | | |
| | | | | | |
| | | | | | |
| | | | | GI. | |
| | | | | Sh. | |

Page.....L2 MOW 122

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | SHS. |
|------|---|----------|------|------|------|
| | <u>VIP CONTD'</u> | | | | |
| | CONCRETE WORKS | | | | |
| A | Mass concrete mix 1:3:6 in foundations | 1 | CM | | |
| | Reinforced concrete mix 1:2:4 as described in: | | | | |
| | 150mm thick floor slab. | | | | |
| В | Form or leave hole in slab 100x200mm. | 8 | SM | | |
| C | Ditto but 100mm diameter. | 2 | N0. | | |
| D | 100mm diameter 3000mm long vent P.V.C. vent pipe complete with vent cowl. | 1 | N0. | | |
| E | | 1 | N0 | | |
| | | | | | |
| | | | | | |
| | Coming to collection on mage | | | | |
| | Carried to collection on page | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | Sh. | |

Page.....L3 MOW 122

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | SHS. |
|------|--|----------|------|------|------|
| | | | | | |
| | V.I.P CONTD' | | | | |
| | Sawn formwork as described to: | | | | |
| A | Soffites of slab. | 2 | SM | | |
| В | Sides of slab. | 11 | LM | | |
| С | 10mm diameter bars in slab. | 59 | KG | | |
| D | Gauge 8 weld mesh in slab. | 8 | SM | | |
| | WALLING | | | | |
| Е | 150mm thick brick walling in foundations. | 12 | SM | | |
| | Ditto in supper structure reinforced with 1mm after every 400mm. | | | | |
| F | Ditto screen wall | 17 | SM | | |
| G | Ditto screen wan | 11 | SM | | |
| | | | | | |
| | Carried to collection on page | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | Sh. | |

Page.....L4 MOW 122

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | SHS. |
|------|---|----------|------|------|------|
| | | | | | |
| | V.I.P CONTD' | | | | |
| A | 12mm thick cement sand render to walls. | 16 | SM | | |
| | | | | | |
| | Ditto plaster internally. | | | | |
| В | | 36 | SM | | |
| | ROOFING | | | | |
| | 75x50mm timber 150x25mm rafters | | | | |
| C | 150x25mm fascia board | 12 | LM | | |
| D | | 12 | LM | | |
| | 28gauge factory painted corrugated galvanized | | | | |
| Е | iron sheets. | 10 | SM | | |
| | DOODS | | | | |
| | DOORS | | | | |
| F | 45mm thick framed ledged and braced mather board door size 850x2100mm high. | 2 | N0 | | |
| | | | | | |
| | | | | | |
| | Carried to collection on page | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | Sh. | |

Page.....L5 MOW 122

| | 1 | PageL5 | MOW I | | 1 |
|-------------|--|----------|-------|------|------|
| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | SHS. |
| A | V.I.P CONTD' 45x95mm hardwood door frame once rebated. IRON MONGERY | 10 | LM | | |
| B C D | 150mm long pad bolt 100mm pressed steel butt hinges 150mm long barrel bolt <u>FLOOR FINISH</u> . | 2 3 | NO. | | |
| | | 2 | NO. | | |
| E | 25mm cement sand screed to floors. | 8 | SM | | |
| | Carried to collection on page | | | Sh. | |

Page....L6 MOW 122

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | SHS. |
|------|--|----------|------|------|------|
| | | | | | |
| | V.I.P CONTD' | | | | |
| | PAINTING. | | | | |
| | Prepare and apply three coats of Emulsion paint to:- | | | | |
| A | Walls internally | 16 | SM | | |
| | Prepare and apply one undercoat and two coats gloss oil paint to:- | | | | |
| В | Plastered walls. | 36 | SM | | |
| | Prime only back of frames | | | | |
| C | Surfaces 75-150mm girth | 10 | LM | | |
| | Carried to collection on page | | | Sh. | |

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | SHS. |
|-------------|---|-----------------|----------|------|------|
| A B C | V.I.P CONTD' Knot prime stop and two coats gloss oil paint:- Doors overally Surfaces 150-225mm girth Allow for builder's works To Collection COLLECTION Brought forward from pageL1. Brought forward from pageL2. Brought forward from pageL3. Brought forward from pageL4. Brought forward from pageL5 Brought forward from pageL6 Brought forward from pageL6 Brought forward from pageabove. | 8 22 Item | SM LM | | |
| | TOTAL FOR 1NO. | | | | |
| | | | | X 2 | |
| | TOTAL FOR 2NO TOILET BLOCKS | | | KSH. | |

ELECTRICAL WORKS

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | AMOUNT |
|----------------------|---|-------------|----------------|------|--------|
| A B | PROPOSED ELECTRICAL INSTALLATION WORKS TO COUNTY WARD REPRESENTATIVE OFFICES The works measured hereunder MUST be undertaken by a registered and approve electrical contractor. The works include supply, installation, testing and commissioning of the following. | | | | |
| 1.00 | LIGHTING POINTS Lighting points comprising of 3x1.5mm ² SCPVC Copper cable drawn in and including concealed heavy gauge PVC conduits with all necessary joining a accessories and boxes but excluding switches and fittings as follows: a. One way switching b. 2 way switching | 12 | N0 N0 | | |
| 2.00 2.01 | SWITCHES 10amps square moulded flush mounted switches as CLIPSAL Crabtree or approved equivalent as follows:- a. 1 gang 1 way b. 1 gang 2 way c. 2 gang 2 away | 5 3 2 | N0 N0 N0 | | |
| 3.00 3.01 3.02 | LIGHTING FITTINGS Supply and install 5feet HPE 1500mm 65 watt as single fluorescent fitting as thorn CAT NO. PPC 265 or Philips c/w bulb 1x60watts Miramar ceiling light x7 brass# 30191/12 illuminati alluminium ivory. | 7 | N0 N0 | Sh. | |
| | Carried to collection on page | | | | |

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | AMOUNT |
|--------------|---|----------|------|------|--------|
| 4.00 4.01 | SOCKETS/POWER POINTS 13 Amps socket outlet points comprising of 3x2.5mm ² SC PVC 1 copper cable drawn in and including concealed heavy gauge PVC conduit with all joining accessories and boxes but excluding sockets. | 80 | N0 | | |
| 5.00 5.01 | POWER OUTLETS 13amps 2 gang switched socket outlet flush mounted as CLIPSAL MK or approved equivalent. | 8 | N0 | | |
| 6.00 6.01 | TELEPHONE/DATA POINTS Telephone/data points in double 23mm dia conduits and boxes with piano draw wire left inside. | 5 | N0 | | |
| 6.02 | Telephone outlet as MK logic range. | 5 | N0 | | |
| 7.00 7.01 | SUBMAINS AND DISTRIBUTION SWITCH GEAR 5 amps MCB as Hager or approved equal. | 2 | N0 | | |
| 7.02 | 20 amps MCB as Hager or approved equal. | 2 | N0 | | |
| 7.03 | 30 amps MCB as Hager or approved equal. | 2 | N0 | | |
| 7.04 | 100Amps 6 ways consumer control unit with DP Integral isolator switch as HAGER. | 1 | N0 | | |
| 7.05 | Sub mains comprising of 3x10.0mm ² SC PVC copper cable as EAC drawn and including concealed heavy gauge PVC conduit from tariff meter box to consumer unit. | 25 | ML | | |
| 7.06 | Single tariff meter box made from gauge 14SWG galvanized steel sheet complete with binding screw/bolt and viewing glass. | 1 | N0 | | |
| | Carried to collection on page | | | | |
| | | | | | |
| | | | | Sh. | |

PE 2

| ITEM | DESCRIPTION | QUANTITY | UNIT | RATE | AMOUNT |
|------|---|----------|------|------|--------|
| | | | | | |
| 7.06 | Earthing comprising of earth lead 150mm copper earth electrode complete with 300x300x300mm ³ earthing chamber with cover | 1 | Item | | |
| 7.07 | Standard loping box as per MOW requirements. | 1 | N0 | | |
| 7.08 | Cut out complete with SP 80 HRC fuses water heater point comprising of 3x4.mm2 SCPVC copper cable drawn and including concealed heavy gauge PVC conduits with all necessary joining accessories and boxes but not excluding switches and fitting. | 1 | N0 | | |
| 7.09 | Water heater DP switch. | 1 | N0 | | |
| 710 | Water heater shower head | 1 | N0 | | |
| 7.11 | Bulk head fittings as glass metal | 4 | N0 | | |
| 7.12 | Allow for contingency sum | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Carried to collection on page | | | Sh. | |

| ITEM | <u>DESCRIPTION</u> | AMOUNT |
|------|---------------------------------|--------|
| A | Total carried from page PE 1 | |
| В | Total carried from page PE 2 | |
| С | Total carried from page PE 3 | |
| | | |
| | | |
| | | |
| | Total carried to form of tender | |

| Name of Electrical sub-contractor | | _ |
|-----------------------------------|---------------------|---|
| Address | | |
| Signature | Date | _ |
| Category (MOPW) | License class (MOE) | |
| VAT registration | PIN registration | _ |
| Witness | | |
| Address | | |
| Signature | Date | |

PC 1

| ITEM | DESCRIPTION. | KSHS. | CTS. |
|------|--|--------|------|
| A | PRIME COST (PC) AND PROVISIONAL SUMS. Allow a provisional sum of Kenya shillings fifty thousand (Kshs. 50,000) only for fire fighting equipment | 50,000 | |

| В | Allow a provisional sum of Kenya shillings six hundred thousand (Kshs. 600,000) only for Contingencies. | 600,000 | |
|---|---|---------|--|
| | Allow a provisional sum of Kenya shillings four hundred thousand (Kshs. 400,000) only for project management. | 400,000 | |
| С | Allow a provisional sum of Kenya shillings three hundred thousand (Kshs. 300,000) only for rain water goods. | 300,000 | |
| D | Allow a provisional sum of Kenya shillings two hundred thousand (Kshs. 200,000) only for statutory fees. | 200,000 | |
| E | | | |
| | | | |
| | TOTAL | | |

GENERAL GRAND SUMMARY PAGE 1

| ITEM | DESCRIPTION | PAGE | CONTRACTOR SUM | |
|------|---------------------------|-------|----------------|----|
| | | | KSHS. CT | ΓS |
| 1 | TOTAL FOR PRELIMINARIES | PP8 | | |
| 2 | BUILDING WORKS | WR 27 | | |
| 3 | EXTERNAL WORKS | E 7 | | |
| 4 | 2NO. 2-DOOR VIP LATRINE | L 7 | | |
| 5 | ELECTRICAL WORKS | PE 4 | | |
| 6 | PC. AND PROVISIONAL SUMS. | PC 1 | | |
| | SUB TOTAL | | | |

| Add 16% VAT | | |
|----------------------------------|------|--|
| GRAND TOTAL | | |
| AMOUNT IN WORDS, KENYA SHILLINGS | | |
| | | |
| MAIN CONTRACTOR | | |
| ADDRESS | | |
| SIGNATURE | | |
| DATE | | |
| WITNESS NAME | | |
| SIGNATURE | | |

DATE_____

SECTION VI - SCHEDULE OF REQUIREMENTS

APPENDIX TO CONDITIONS OF CONTRACT

Appendix to Instructions to Tenderers

- Where there is a conflict between the provisions of the instructions to candidates and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to the candidates.
- General and Special Conditions of Contract shall be considered.

A: Preliminary Evaluation

| 1 | The Employer is | County Assembly of Migori Address: P.O. Box 985 – 40400, Suna | | |
|----------------|---------------------------|--|--|--|
| 2 | Employer's Representative | County Assembly Clerk Address: P.O. Box 985– 40400, Suna | | |
| 3 Tender Price | | i. Candidates shall quote prices in accordance with the schedule of prices provided in this tender document and shall be expressed in Kenya Shillings. | | |
| | Tender Trice | ii. Prices quoted should be net inclusive of all taxes and must be expressed in Kenya shillings and shall remain valid for a period of 90 days from the closing date of the tender | | |
| 4 | Evaluation Criteria | Preliminary Evaluation Shall consist and not limited to all Mandatory Requirements i. Certified Certificate of Registration ii. PIN Certificate iii. Certified Valid Tax Compliance Certificate iv. Certified Valid Single Business permit v. Tender Completeness vi. All pages for the bid submitted serialized vii. Certified copy of CR12 form viii. 2% bid bond ix. NCA Certificate (7 and above) x. Business Questionnaire Filled and stamped xi. Litigation History xii. Eligibility statement Detailed Evaluation (Only Firms attaining minimum Score of 70% shall proceed to Financial Evaluation) Financial Evaluation (Maximum Score – 30%) Award will be based on weighted average score. Where the highest weighted score shall be ranked number one. | | |

NB: Firms which fails to submit mandatory requirements as stated above shall not move to Technical stage

B: Technical Evaluation

| No. | Evaluation Criteria | Evaluation attribute | Weighting score | Maximum score |
|-----|------------------------|---|---|------------------|
| 1. | Financial Capacity | Bank Statement for twelve(12)months period to date (8 marks) | Cash flow of 8 Million above = 8 marks. Other prorated at: Amount of bank cash flow x Marks/8 Million | 8 Marks |
| 2 | Audited Accounts | Certified Audited Accounts for 2019,2020,2021 and 2022. | 5 Marks per financial year | 20 Marks |
| 3 | Experience of the firm | No. of years in the industry (certificate of incorporation) | 4 years and above =12 mks other prorated at: each year @3marks x /4 years. | 12 Marks |
| 4. | Technical Capacity | Evidence of previous works with similar magnitude(At least 5 projects) Provide a valid list of the projects | -5 projects and above =15 mks other prorated at: each project @3marks /5 projects. | 15 Marks |
| 5 | Qualifications | Provide a list of two (3) qualified staff with professional qualifications on building work who will handle the | (5 marks for each staff) | 15 Marks |

| | project (attach relevant CVs for the professional staff (5 marks for each staff) | | |
|-------------|--|----|--|
| Total Marks | | 70 | |

NOTE:

Technical Evaluation (Only Firms attaining minimum Score of 70% shall proceed to Financial Evaluation)

SECTION VIII - STANDARD FORMS

Notes on the sample Forms

- 1. *Form of Tender*: The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.
- **2.** Confidential Business Questionnaire Form: This form must be completed by the tenderer and submitted with the tender documents.
- **3.** *Tender Securing Declaration Form:* Is MANDATORY for this particular tender where tenderers have not been asked to provide tender security.
- **4.** *Contract Form*: The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.
- **5.** *Manufacturers Authorization Form*: When required this form must be completed and submitted with the tender documents. This form will be completed by the manufacturer of the goods where the tenderer is an agent.

6.0 Special Conditions of Contract as relates to the General Conditions of Contract

| Reference of general conditions of contract | Special condition of contract |
|--|-------------------------------|
| 3.6 Performance security from the underwriter. | |
| | |
| 3.7 Delivery of Services | |
| | |
| | |
| | |
| 0.00 | |
| 3.8 Payment | |
| | |
| 3.16 Applicable law | Shall be the laws of Kenya |
| 3.18 Notices | The Clerk, |
| 3.18 Nouces | <i>'</i> |
| | Migori County Assembly |
| | P.O. Box 985-40400 |
| | MIGORI |

7. Delivery Period

The contract period is one year from commencement date. However, renewal for one-year subject to appraised performance of the service provider

The procuring entity however reserves the right to terminate the contract at any stage on the basis of provider's poor performance and failure to rectify the said poor performance in the timelines set out in the contract.

SECTION VII - STANDARD FORMS

Notes on the standard Forms

1. Form of TENDER - with the tender documents, tenderer.

The form of Tender must be completed by the tenderer and submitted It must also be duly signed by duly authorized representatives of the

- 2. Price Schedule Form The price schedule form must similarly be completed and submitted with the tender.
- 3. Contract Form The contract form shall not be completed by the tenderer at the time of submitting the tender. The contract form shall be completed after contract award and should incorporate the accepted contract price.
- 4. Confidential Business Questionnaire Form This form must be completed by the tenderer and submitted with the tender documents.
- 5. Tender Security Form When required by the tender document the tenderer shall provide the tender security either in the form included hereinafter or in another format acceptable to the MCA.
- 6. Authorization Form The firm's authorization form shall be completed and signed by the recommended Hotel/Caterer if not self and submitted with the tender
- 7. Declaration Form Must be completed by the tenderer and submitted with the tender documents
- 8. Performance security Form The performance security form should not be completed by the tenderer at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the MCA.

Form of Tender

| To: | | Date: |
|--|---------------------------------------|---|
| The Clerk, | | |
| Migori County Assembly, P.O. Box 985-40400 | | |
| MIGORI. | | |
| Gentlemen and/or Ladies:- | | |
| receipt of which is hereby du Services under this tender is | lly acknowledged, in conformity wi | luding Addenda No. (Insert numbers) the we the undersigned, offer to provide Insurance th the said Tender document for the sum of |
| [Total Tender amou | unt in words and t | figures Inclusive of VAT]or such other sums as edule of Prices attached herewith and made part |
| 2. We undertake, if our conditions of the tender. | Tender is accep | ted, to construct Kakrao ward office with the |
| | ructions to Tender | period of 150 [number] days from the date fixed ters, and it shall remain binding upon us and may that period. |
| | | acceptance thereof and your notification of award, the signing of the contract by both parties. |
| 5. We understand that yo | u are not bound to | accept the lowest or any tender you may receive. |
| Dated this | day of | 2023 |
| [Signature] | | [In the capacity of] |
| Duly authorized to sign tender for | r and on behalf of | |

| Signature of tenderer | | |
|-----------------------|------|--|
| - | | |
| | | |
| | | |
| Official Rubber Stamp | | |
| 1 | | |
| | | |

Contract Form

| THIS . | AGREEMENT made | | | | |
|---------------|--|---|--------------|-------------------------|---------------------|
| one par | ement entity] ofrt and nafter called "the tende | [name of tenderer] of | of | [v] (hereinafter called | |
| | REAS the MCA invited er by the tenderer for th | | | | and has accepted |
| | | | | [c | contract price in |
| words | in figures] (hereinafter | called "the Contrac | ct Price"). | | |
| NOW | THIS AGREEMENT | WITNESSTH AS F | FOLLOWS:- | - | |
| 1. assign | In this Agreement world to them in the Cond | - | | ne same meanings a | as are respectively |
| 2. this Aş | The following docum greement, viz: | ents shall be deeme | ed to form a | nd be read and co | nstrued as part of |
| | (a) the Tender Fo (b) the Schedule of | rm and the Price Sc of Requirements | hedule subn | nitted by the tender | rer; |
| | (e) the Special Co | cover onditions of Contra- onditions of Contrac otification of Award | et; and | | |
| | In consideration of thoned, the tenderer herely defects therein in cor | by covenants with the | he MCA to j | provide the Securit | ty Services and to |
| | The MCA hereby covers and the remedying are payable under the prontract. | of defects therein, | the Contrac | ct Price or such o | ther sum as may |
| | TNESS whereof the palance with their respect | | | _ | ecuted in |
| Signed, | , sealed, delivered by | the | (for the | MCA) | |
| | | | | | |

| Signed, sealed, delivered by | the | (for the tenderer) in the presence of | _ |
|------------------------------|-----|---------------------------------------|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particular indicated in Part 1 and either Part 2(a), 2(b), or 2(c) Which ever applies to your type of business?

You are advised that it is a serious offence to give false information on this Form. Part 1General:

| Business Name | Lo | cation | of | business |
|--|--------|---|-------------|----------|
| premisesPlot Street/Road | No. | & Name | of Premise | |
| Postal Address Email | | Геl. No | Fax | |
| Nature of business | | | | |
| Registration Certificate No | •••• | | | |
| Maximum value of business which you ca | n han | dle at any one | e time Kshs | |
| Name of your bankers | Br | anch | | |
| Part 2(a) – Sole Proprietor: | | | | |
| Your name in full | | Aş | ge | |
| Nationality C | Countr | ry of origin | | |
| Citizenship details | | | | ••••• |
| Party 2(b) – Partnership | | | | |
| Give details of partners as follows | | | | |
| Name Nationality Citizensh 1 | - | | | |
| 2 | | | | |
| 3 | | • | | |
| 4 | | | | |

| (Title) | (Signature) | (Date) | |
|---|------------------------------|-------------------------------------|------|
| | | | |
| I certify that the above inform | nation is correct. | | |
| Is there any person/persons in firm? Yes/No (Delete as necessary) | | in general who has interest in this | • |
| Part 2 (d) – Interest in the Fi | | | |
| | | | |
| If a citizen, indicate under "C Registration | Citizenship Details" whether | by Birth, Naturalization or | |
| Date | Signature of Tende | rer | |
| 5 | | | •••• |
| 4 | | | •••• |
| 3 | | | •••• |
| 2 | | | •••• |
| | | | |
| 1 | | | |
| Name Nationality Cit | izenship Details Shares | | |
| Give details of all directors as | s follows | | |
| Issued Kshs | | | |
| State the nominal and issued Nominal Kshs | capital of the company – | | |
| Private or public | | | ••• |
| Part 2(c) – Registered Compa | ıny: | | |
| | | | |
| 5 | | | |

*Attach proof of citizenship

TENDER SECURITY FORM

| Whereas [dated [(hereinafter called < |] (hereinafter called <] for the CONSTRUCTION OF K.? | > has submitted its bid AKRAO MCA'S OFFICE | | | |
|---|---|---|--|--|--|
| [] for which payme its successors, and assigns b | | ICA, the Bank binds itself, | | | |
| THE CONDITIONS of this | obligation are:- | | | | |
| 1. If the tenderer withd MCA on the Form; of | draws its tender during the period of tender | er validity specified by the | | | |
| | . If the tender, having been notified of the acceptance of its tender by the MCA during the period of tender validity | | | | |
| | ecute the Contract Form, if required; or faurity, in accordance with the Instructions | | | | |
| without the MCA having to | MCA up to the above amount upon receipt substantiate its demand, provided that in ed by it is due to it, owing to the occurre courred condition(s) | its demand the MCA will | | | |
| <u> </u> | emain in force up to and including thirty (an and in respect thereof should reach the Ba | · • | | | |
| [Auth | norized Signatories and official stamp of the | he Bank] | | | |

PERFORMANCE SECURITY FORM

| To: | |
|---|---|
| [Name of MCA] | |
| WHEREAS | [<u>name of tenderer</u>] |
| (Hereinafter called "the tenderer") has undert [reference number of the contract] dated | |
| supply | |
| [Description of insurance services] (Hereinaf | ter called "the Contract") |
| _ · · · · · · · · · · · · · · · · · · · | but in the said Contract that the tenderer shall furnish bank for a sum specified therein as security for obligations in accordance with the Contract |
| AND WHEREAS we have agreed to give the | tenderer a guarantee: |
| THERFEFORE WE hereby affirm that we as the tenderer, up to a total of | re Guarantors and responsible to you, on behalf of |
| written demand declaring the tenderer to be | <u>res</u>], and we undertake to pay you, upon your first in default under the Contract and without cavil or of |
| | our needing to prove or to show grounds or reasons |
| This guarantee is valid until the day of _ | 20 |
| Signature and seal of the Guarantors | |
| [Name of bank or financial institution | |
| [Address] | |
| [Date] | |

LETTER OF NOTIFICATION OF AWARD

Address of MCA

| RE: T | ender No. |
|-------|---|
| 1 | Sender Name |
| | s to notify that the contract/s stated below under the above mentioned tender been awarded to you. |
| 1. | Please acknowledge receipt of this letter of notification signifying your acceptance. |
| 2. | The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter. |
| 3. | You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award. |
| | (FULL PARTICULARS) |

SIGNED FOR ACCOUNTING OFFICER

FORMAT OF CURRICULUM VITAE (CV) FOR PROFESSIONAL STAFF

| Proposed Position: |
|--|
| Name of Firm: |
| Name of Staff: |
| Profession: |
| Date of Birth: |
| Years with Firm:Nationality: |
| Membership in Professional Societies: |
| Detailed Tasks, which will be assigned; |
| i) |
| ii) |
| Relevant Tasks previously assigned (Please provide dates & locations) |
| i) |
| ii) |
| iii) |
| Key Qualifications: |
| [Give an outline of staff member's experience and training most pertinent to tasks on assignment Describe degree of responsibility held by staff member on relevant previous assignments and give dates and locations]. |
| Education: |
| [Summarize college/university and other specialized education of staff member, giving names of schools, dates attended and degree[s] obtained.] |
| Employment Record: |
| [Starting with present position, list in reverse order every employment held. List all position. held by staff member since graduation, giving dates, names of employing organizations, titles of positions held, and locations of assignments.] |
| Certification: |

| experience. | | |
|--|-------|--|
| | Date: | |
| [Signature of staff member] | Date: | |
| [Signature of authorized representative of the firm] | | |
| Full name of staff member: | | |
| Full name of authorized representative: | | |

FORMAT FOR PRESENTATION OF RELEVANT EXPERIENCE

Relevant five assignments carried out in the Last Three Years

That best illustrates your experience (At least 3 Corporate Clients).

Using the format below, provide information on five of each reference assignment for which your firm either individually as a corporate entity or in association, was legally contracted.

| Assignment Name: | | Country | | | |
|---|-------------------------------|-----------------------------|-----------------------|--|--|
| Location within Country: | | Professional Staff provided | l by Your | | |
| | | Firm/Entity(profiles): | | | |
| Name of Client: | | | | | |
| Address: | | Duration of Policy with Cl | ient | | |
| Start Date (Month/Year): | Completion Date (Month/Year): | Date: | Total quote (in Kshs) | | |
| Name of Senior Staff (Project | Director/Coordinator, | Team Leader) Involved and | Functions Performed: | | |
| Narrative Description of Service: | | | | | |
| Full Description of Actual Services Provided by Your Staff: | | | | | |
| | | | | | |
| Firm's Name: | | | | | |
| Name and title of signatory; | | | | | |

DECLARATION FORM

STATEMENT OF VERIFICATION THAT THE TENDERER IS NOT DEBARRED IN THE

MATTER OF THE PUBLIC PROCUREMENT AND DISPOSAL ACT 2005. I, being a resident of in the Republic of Kenya do hereby make a statement as follows:-1. THAT I am the Chief Executive/Managing Director/Principal Officer/Director of render services and/or carry out works for Migori County Assembly and duly authorized and competent to make this statement. 2. THAT the aforesaid Bidder has not been debarred from participating in procurement proceeding under Part IX. 3. THAT the aforesaid Bidder will not engage in any corrupt practice and has not been requested to pay any inducement to any member of the Commissioners, Management, Staff and/or employees and/or agents of Migori County Assembly, which is the procuring entity. 4. THAT the aforesaid Bidder, its servants and/or agents have not offered any inducement to any member of the Commissioners, Management, Staff and/or employees and/or agents of Migori County Assembly 5. THAT what is deponed to hereinabove is true to the best of my knowledge information and belief. (Title) (Signature) (Date)